



 manooi

ATOLL



manooi

Atoll



manooi

Atoll



manooi

Atoll



manooi

Atoll



manooi

Atoll



manooi

Atoll



manooi

Atoll



manooi

Atoll



manooi

Atoll



manooi

Atoll



manooi

Atoll



manooi

Atoll



Apostol u. 13/B. H-1023 Budapest, Hungary



phone: +36 1 33 626 90

fax: +36 1 33 626 99


info@manooi.com

www.facebook.com/Manooi

www.manooi.com

L	Length		COLLECTION: Crystalight									
W	Width		Type: suspended chandelier									
H	Height		Structure: polished stainless steel									
Ø	Diameter		Trimmings: full-cut crystal octagons and pendants in various sizes and forms									
	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains		Pinnings: nickel plated rings									
	110 V	MODEL	DIMENSIONS cm				PACKAGE cm					
	230 V		L	W	H	kg	L	W	H		Σ kg	
	Product conforms to European Community Directive		ATOLL									
	Product conforms to GOST R											
	Fixable to ceiling											
	Fixable to wall	Atoll	220/80	220	80	27	35	235	95	27	64	
	Table lamp	Atoll	240/90	240	90	27	35	255	105	27	74	
	E14 Light bulb	Atoll	270/100	270	80	27	35	150	115	27	52 2 pcs	
	G9 Halogen	Atoll	300/112	300	112	27	35	165	127	27	58 2 pcs	
	G4 Halogen											
	LED											
	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.	 								 		IF NOT MARKED OTHERWISE: safety classification IP20 for all fittings units in cm, kg, all products supplied with voltage 110V upon request illustrations and descriptions for informative purposes only
	Lights are fixable to fiery surface directly											

L	Length		COLLECTION: Crystalight								
W	Width		Type: suspended chandelier Structure: polished stainless steel Trimmings: full-cut crystal octagons and pendants in various sizes and forms								
H	Height		Pinnings: nickel plated rings Suspension: galvanized bowden - Ø 1,5 mm								
Ø	Diameter		Bulb: max 60 W - G9 halogen Cable: transparent PVC+PVC - 250 cm Ceiling Rose: polished chrome-plated steel								
	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains										
	110 V	MODEL	DIMENSIONS cm				PACKAGE cm				
	230 V		L	W	H	kg	L	W	H		Σ kg
	Product conforms to European Community Directive		ATOLL + 								
	Product conforms to GOST R										
	Fixable to ceiling										
	Fixable to wall	Atoll + 120/45	120	45	20	18	135	60	27	32	
	Table lamp	Atoll + 140/52	140	52	20	18	155	67	27	38	
	E14 Light bulb	Atoll + 160/60	160	60	26	28	175	75	27	46	
	G9 Halogen	Atoll + 180/68	180	68	26	28	195	83	27	54	
	G4 Halogen	Atoll + 200/75	200	75	26	37	215	90	27	63	
	LED										
	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.	  IF NOT MARKED OTHERWISE: safety classification IP20 for all fittings units in cm, kg, all products supplied with voltage 110V upon request illustrations and descriptions for informative purposes only									
	Lights are fixable to fiery surface directly										

L	Length		COLLECTION: Crystalight								
W	Width		Type: suspended chandelier								
H	Height		Structure: polished stainless steel								
Ø	Diameter		Trimmings: full-cut crystal octagons and pendants in various sizes and forms								
	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains		Pinnings: nickel plated rings								
	110 V	MODEL	DIMENSIONS cm				PACKAGE cm				
	230 V		L	W	H	kg	L	W	H		Σ kg
	Product conforms to European Community Directive		ATOLL +								
	Product conforms to GOST R										
	Fixable to ceiling										
	Fixable to wall	Atoll + 220/80	220	80	32	45	235	95	27	70	
	Table lamp	Atoll + 240/90	220	80	32	45	255	105	27	80	
	E14 Light bulb	Atoll + 270/80	220	80	32	45	150	115	27	55 2 pcs	
	G9 Halogen	Atoll + 300/112	300	112	32	45	165	127	27	61 2 pcs	
	G4 Halogen										
	LED										
	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.	       				IF NOT MARKED OTHERWISE: safety classification IP20 for all fittings units in cm, kg, all products supplied with voltage 110V upon request illustrations and descriptions for informative purposes only					
	Lights are fixable to fiery surface directly										