



manooi LOOP



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop



manooi

Loop




manooi

Loop



manooi

Loop



Apostol u. 13/B. H-1023 Budapest, Hungary



phone: +36 1 33 626 90



fax: +36 1 33 626 99

info@manooi.com


[www.facebook.com/Manooi](https://www.facebook.com/Manooi)


[www.manooi.com](http://www.manooi.com)

|                                                                                     |                                                                                        |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|-------------------------------------------------------------------------------------|------|
| L                                                                                   | Length                                                                                 |  | COLLECTION: Crystalight                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
| W                                                                                   | Width                                                                                  |                                                                                     | Type: suspended chandelier                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
| H                                                                                   | Height                                                                                 |                                                                                     | Structure: polished stainless steel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
| Ø                                                                                   | Diameter                                                                               |                                                                                     | Trimmings: full-cut crystal octagons and pendants in various sizes and forms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
|    | Chandeliers with + sign: the top of the chandelier is also covered with crystal chains |                                                                                     | Pinnings: nickel plated rings                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
|    | 110 V                                                                                  | MODEL                                                                               | DIMENSIONS cm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |                                                                                                                                                                             |    | PACKAGE cm                                                                                                                                                                                                          |     |    |  |      |
|    | 230 V                                                                                  |                                                                                     | L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | W   | H                                                                                                                                                                           | kg | L                                                                                                                                                                                                                   | W   | H  |                                                                                     | Σ kg |
|    | Product conforms to European Community Directive                                       |                                                                                     | LOOP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
|    | Product conforms to GOST R                                                             |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
|    | Fixable to ceiling                                                                     |                                                                                     | Loop                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 80  | 80                                                                                                                                                                          | 15 | 15                                                                                                                                                                                                                  | 95  | 95 | 27                                                                                  | 31   |
|    | Fixable to wall                                                                        | Loop                                                                                | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 100 | 15                                                                                                                                                                          | 17 | 115                                                                                                                                                                                                                 | 115 | 27 | 37                                                                                  |      |
|   | Table lamp                                                                             | Loop                                                                                | 120                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 120 | 15                                                                                                                                                                          | 21 | 135                                                                                                                                                                                                                 | 135 | 27 | 46                                                                                  |      |
|  | E14 Light bulb                                                                         | Loop                                                                                | 140                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 140 | 15                                                                                                                                                                          | 25 | 155                                                                                                                                                                                                                 | 155 | 27 | 55                                                                                  |      |
|  | G9 Halogen                                                                             | Loop                                                                                | 150                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 150 | 15                                                                                                                                                                          | 29 | 165                                                                                                                                                                                                                 | 165 | 27 | 62                                                                                  |      |
|  | G4 Halogen                                                                             |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
|  | LED                                                                                    |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
|  | Only basic insulation, accesible conductors are earthed. Earthing: compulsory.         |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
|  | Lights are fixable to fiery surface directly                                           |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |                                                                                                                                                                             |    |                                                                                                                                                                                                                     |     |    |                                                                                     |      |
|                                                                                     |                                                                                        |                                                                                     |         |     |   |    | IF NOT MARKED OTHERWISE:<br>safety classification IP20 for all fittings<br>units in cm, kg,<br>all products supplied with voltage 110V upon request<br>illustrations and descriptions for informative purposes only |     |    |                                                                                     |      |


|                                                                                     |                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                          |                                                                                       |     |     |                                                                                       |     |     |                                                                                                                                                                                                                     |     |    |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----|-----|---------------------------------------------------------------------------------------|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| L                                                                                   | Length                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | COLLECTION: Crystalight                                                                  |                                                                                       |     |     |                                                                                       |     |     |                                                                                                                                                                                                                     |     |    |
| W                                                                                   | Width                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Type: suspended chandelier                                                               |                                                                                       |     |     |                                                                                       |     |     |                                                                                                                                                                                                                     |     |    |
| H                                                                                   | Height                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Structure: polished stainless steel                                                      |                                                                                       |     |     |                                                                                       |     |     |                                                                                                                                                                                                                     |     |    |
| Ø                                                                                   | Diameter                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Trimmings: full-cut crystal octagons and pendants in various sizes and forms             |                                                                                       |     |     |                                                                                       |     |     |                                                                                                                                                                                                                     |     |    |
|    | Chandeliers with + sign: the top of the chandelier is also covered with crystal chains |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Pinnings: nickel plated rings                                                            |                                                                                       |     |     |                                                                                       |     |     |                                                                                                                                                                                                                     |     |    |
|    | 110 V                                                                                  | MODEL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | DIMENSIONS cm                                                                            |                                                                                       |     |     | PACKAGE cm                                                                            |     |     |                                                                                                                                  |     |    |
|    | 230 V                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | L                                                                                        | W                                                                                     | H   | kg  | L                                                                                     | W   | H   |                                                                                                                                                                                                                     |     |    |
|    | Product conforms to European Community Directive                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LOOP  |                                                                                       |     |     |                                                                                       |     |     |                                                                                                                                                                                                                     |     |    |
|    | Product conforms to GOST R                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Loop                                                                                     | 160                                                                                   | 160 | 160 | 15                                                                                    | 32  | 175 | 175                                                                                                                                                                                                                 | 27  | 68 |
|    | Fixable to ceiling                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Loop                                                                                     | 180                                                                                   | 180 | 180 | 15                                                                                    | 35  | 195 | 195                                                                                                                                                                                                                 | 27  | 77 |
|    | Fixable to wall                                                                        | Loop                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 200                                                                                      | 200                                                                                   | 200 | 15  | 38                                                                                    | 215 | 215 | 27                                                                                                                                                                                                                  | 87  |    |
|   | Table lamp                                                                             | Loop                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 220                                                                                      | 220                                                                                   | 220 | 15  | 40                                                                                    | 235 | 235 | 27                                                                                                                                                                                                                  | 98  |    |
|  | E14 Light bulb                                                                         | Loop                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 240                                                                                      | 240                                                                                   | 240 | 15  | 45                                                                                    | 255 | 135 | 47                                                                                                                                                                                                                  | 114 |    |
|  | G9 Halogen                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                          |                                                                                       |     |     |                                                                                       |     |     |                                                                                                                                                                                                                     |     |    |
|  | G4 Halogen                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                          |                                                                                       |     |     |                                                                                       |     |     |                                                                                                                                                                                                                     |     |    |
|  | LED                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                          |                                                                                       |     |     |                                                                                       |     |     |                                                                                                                                                                                                                     |     |    |
|  | Only basic insulation, accesible conductors are earthed. Earthing: compulsory.         |         |                                                                                          |  |     |     |  |     |     | IF NOT MARKED OTHERWISE:<br>safety classification IP20 for all fittings<br>units in cm, kg,<br>all products supplied with voltage 110V upon request<br>illustrations and descriptions for informative purposes only |     |    |
|  | Lights are fixable to fiery surface directly                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                          |                                                                                       |     |     |                                                                                       |     |     |                                                                                                                                                                                                                     |     |    |




|                                                                                     |                                                                                        |                                                                                                                                                                                                                     |                                                                              |     |    |    |            |     |    |      |  |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-----|----|----|------------|-----|----|------|--|
| L                                                                                   | Length                                                                                 |                                                                                                                                  | COLLECTION: Crystalight                                                      |     |    |    |            |     |    |      |  |
| W                                                                                   | Width                                                                                  |                                                                                                                                                                                                                     | Type: suspended chandelier                                                   |     |    |    |            |     |    |      |  |
| H                                                                                   | Height                                                                                 |                                                                                                                                                                                                                     | Structure: polished stainless steel                                          |     |    |    |            |     |    |      |  |
| Ø                                                                                   | Diameter                                                                               |                                                                                                                                                                                                                     | Trimmings: full-cut crystal octagons and pendants in various sizes and forms |     |    |    |            |     |    |      |  |
|    | Chandeliers with + sign: the top of the chandelier is also covered with crystal chains |                                                                                                                                                                                                                     | Pinnings: nickel plated rings                                                |     |    |    |            |     |    |      |  |
|    | 110 V                                                                                  | MODEL                                                                                                                                                                                                               | DIMENSIONS cm                                                                |     |    |    | PACKAGE cm |     |    |      |  |
|    | 230 V                                                                                  |                                                                                                                                                                                                                     | L                                                                            | W   | H  | kg | L          | W   | H  | Σ kg |  |
|    | Product conforms to European Community Directive                                       | LOOP +                                                                                                                           |                                                                              |     |    |    |            |     |    |      |  |
|    | Product conforms to GOST R                                                             |                                                                                                                                                                                                                     |                                                                              |     |    |    |            |     |    |      |  |
|    | Fixable to ceiling                                                                     | Loop + 160                                                                                                                                                                                                          | 160                                                                          | 160 | 19 | 36 | 175        | 175 | 27 | 72   |  |
|    | Fixable to wall                                                                        | Loop + 180                                                                                                                                                                                                          | 180                                                                          | 180 | 19 | 40 | 195        | 195 | 27 | 82   |  |
|   | Table lamp                                                                             | Loop + 200                                                                                                                                                                                                          | 200                                                                          | 200 | 19 | 43 | 215        | 215 | 27 | 91   |  |
|  | E14 Light bulb                                                                         | Loop + 220                                                                                                                                                                                                          | 220                                                                          | 220 | 19 | 45 | 235        | 235 | 27 | 103  |  |
|  | G9 Halogen                                                                             | Loop + 240                                                                                                                                                                                                          | 240                                                                          | 240 | 19 | 51 | 255        | 135 | 47 | 117  |  |
|  | G4 Halogen                                                                             |                                                                                                                                                                                                                     |                                                                              |     |    |    |            |     |    |      |  |
|  | LED                                                                                    |                                                                                                                                                                                                                     |                                                                              |     |    |    |            |     |    |      |  |
|  | Only basic insulation, accesible conductors are earthed. Earthing: compulsory.         |                                           |                                                                              |     |    |    |            |     |    |      |  |
|  | Lights are fixable to fiery surface directly                                           |                                                                                                                                                                                                                     |                                                                              |     |    |    |            |     |    |      |  |
|                                                                                     |                                                                                        | IF NOT MARKED OTHERWISE:<br>safety classification IP20 for all fittings<br>units in cm, kg,<br>all products supplied with voltage 110V upon request<br>illustrations and descriptions for informative purposes only |                                                                              |     |    |    |            |     |    |      |  |

|                                                                                     |                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                     |                                                                                       |     |    |            |                                                                                                                                                                                                                     |     |                                                                                     |      |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----|----|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-------------------------------------------------------------------------------------|------|
| L                                                                                   | Length                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | COLLECTION: Crystalight                                                             |                                                                                       |     |    |            |                                                                                                                                                                                                                     |     |                                                                                     |      |
| W                                                                                   | Width                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Type: suspended chandelier                                                          |                                                                                       |     |    |            |                                                                                                                                                                                                                     |     |                                                                                     |      |
| H                                                                                   | Height                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Structure: polished stainless steel                                                 |                                                                                       |     |    |            |                                                                                                                                                                                                                     |     |                                                                                     |      |
| Ø                                                                                   | Diameter                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Trimmings: full-cut crystal octagons and pendants in various sizes and forms        |                                                                                       |     |    |            |                                                                                                                                                                                                                     |     |                                                                                     |      |
|    | Chandeliers with + sign: the top of the chandelier is also covered with crystal chains |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Pinnings: nickel plated rings                                                       |                                                                                       |     |    |            |                                                                                                                                                                                                                     |     |                                                                                     |      |
|    | 110 V                                                                                  | MODEL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | DIMENSIONS cm                                                                       |                                                                                       |     |    | PACKAGE cm |                                                                                                                                                                                                                     |     |  |      |
|    | 230 V                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | L                                                                                   | W                                                                                     | H   | kg | L          | W                                                                                                                                                                                                                   | H   |                                                                                     | Σ kg |
|    | Product conforms to European Community Directive                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LOOP                                                                                |                                                                                       |     |    |            |                                                                                                                                                                                                                     |     |                                                                                     |      |
|    | Product conforms to GOST R                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                                                                                       |     |    |            |                                                                                                                                                                                                                     |     |                                                                                     |      |
|    | Fixable to ceiling                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Loop                                                                                | 120/60                                                                                | 120 | 60 | 15         | 15                                                                                                                                                                                                                  | 135 | 75                                                                                  | 27   |
|    | Fixable to wall                                                                        | Loop                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 140/70                                                                              | 140                                                                                   | 70  | 15 | 20         | 155                                                                                                                                                                                                                 | 85  | 27                                                                                  | 41   |
|   | Table lamp                                                                             | Loop                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 160/80                                                                              | 160                                                                                   | 80  | 15 | 25         | 175                                                                                                                                                                                                                 | 95  | 27                                                                                  | 49   |
|  | E14 Light bulb                                                                         | Loop                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 180/90                                                                              | 180                                                                                   | 90  | 15 | 30         | 195                                                                                                                                                                                                                 | 105 | 27                                                                                  | 58   |
|  | G9 Halogen                                                                             | Loop                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 200/100                                                                             | 200                                                                                   | 100 | 15 | 35         | 215                                                                                                                                                                                                                 | 115 | 27                                                                                  | 67   |
|  | G4 Halogen                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                     |                                                                                       |     |    |            |                                                                                                                                                                                                                     |     |                                                                                     |      |
|  | LED                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                     |                                                                                       |     |    |            |                                                                                                                                                                                                                     |     |                                                                                     |      |
|  | Only basic insulation, accesible conductors are earthed. Earthing: compulsory.         |         |                                                                                     |  |     |    |            | IF NOT MARKED OTHERWISE:<br>safety classification IP20 for all fittings<br>units in cm, kg,<br>all products supplied with voltage 110V upon request<br>illustrations and descriptions for informative purposes only |     |                                                                                     |      |
|  | Lights are fixable to fiery surface directly                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                     |                                                                                       |     |    |            |                                                                                                                                                                                                                     |     |                                                                                     |      |



|                                                                                     |                                                                                        |                                                                                            |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|------|--|
| L                                                                                   | Length                                                                                 |         | COLLECTION: Crystalight                                                      |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |
| W                                                                                   | Width                                                                                  |                                                                                            | Type: suspended chandelier                                                   |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |
| H                                                                                   | Height                                                                                 |                                                                                            | Structure: polished stainless steel                                          |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |
| Ø                                                                                   | Diameter                                                                               |                                                                                            | Trimmings: full-cut crystal octagons and pendants in various sizes and forms |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |
|    | Chandeliers with + sign: the top of the chandelier is also covered with crystal chains |                                                                                            | Pinnings: nickel plated rings                                                |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |
|    | 110 V                                                                                  | MODEL                                                                                      | DIMENSIONS cm                                                                |                                                                                       |    |    | PACKAGE cm                                                                                                                                                                                                          |     |    | Σ kg |  |
|    | 230 V                                                                                  |                                                                                            | L                                                                            | W                                                                                     | H  | kg | L                                                                                                                                                                                                                   | W   | H  |      |  |
|    | Product conforms to European Community Directive                                       | LOOP +  |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |
|    | Product conforms to GOST R                                                             |                                                                                            |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |
|    | Fixable to ceiling                                                                     | Loop + 120/60                                                                              | 120                                                                          | 60                                                                                    | 19 | 18 | 135                                                                                                                                                                                                                 | 75  | 27 | 36   |  |
|    | Fixable to wall                                                                        | Loop + 140/70                                                                              | 140                                                                          | 70                                                                                    | 19 | 23 | 155                                                                                                                                                                                                                 | 85  | 27 | 44   |  |
|   | Table lamp                                                                             | Loop + 160/80                                                                              | 160                                                                          | 80                                                                                    | 19 | 28 | 175                                                                                                                                                                                                                 | 95  | 27 | 52   |  |
|  | E14 Light bulb                                                                         | Loop + 180/90                                                                              | 180                                                                          | 90                                                                                    | 19 | 34 | 195                                                                                                                                                                                                                 | 105 | 27 | 62   |  |
|  | G9 Halogen                                                                             | Loop + 200/100                                                                             | 200                                                                          | 100                                                                                   | 19 | 39 | 215                                                                                                                                                                                                                 | 115 | 27 | 71   |  |
|  | G4 Halogen                                                                             |                                                                                            |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |
|  | LED                                                                                    |                                                                                            |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |
|  | Only basic insulation, accesible conductors are earthed. Earthing: compulsory.         |       |                                                                              |  |    |    | IF NOT MARKED OTHERWISE:<br>safety classification IP20 for all fittings<br>units in cm, kg,<br>all products supplied with voltage 110V upon request<br>illustrations and descriptions for informative purposes only |     |    |      |  |
|  | Lights are fixable to fiery surface directly                                           |                                                                                            |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |

|                                                                                     |                                                                                        |                                                                                                                                                                                |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|------|--|--|
| L                                                                                   | Length                                                                                 |                                                                                             | COLLECTION: Crystalight                                                      |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
| W                                                                                   | Width                                                                                  |                                                                                                                                                                                | Type: suspended chandelier                                                   |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
| H                                                                                   | Height                                                                                 |                                                                                                                                                                                | Structure: polished stainless steel                                          |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
| Ø                                                                                   | Diameter                                                                               |                                                                                                                                                                                | Trimmings: full-cut crystal octagons and pendants in various sizes and forms |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
|    | Chandeliers with + sign: the top of the chandelier is also covered with crystal chains |                                                                                                                                                                                | Pinnings: nickel plated rings                                                |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
|    | 110 V                                                                                  | MODEL                                                                                                                                                                          | DIMENSIONS cm                                                                |                                                                                       |    |    | PACKAGE cm                                                                                                                                                                                                          |     |    |      |  |  |
|    | 230 V                                                                                  |                                                                                                                                                                                | L                                                                            | W                                                                                     | H  | kg | L                                                                                                                                                                                                                   | W   | H  | Σ kg |  |  |
|    | Product conforms to European Community Directive                                       | LOOP +   |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
|    | Product conforms to GOST R                                                             |                                                                                                                                                                                |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
|    | Fixable to ceiling                                                                     | Loop + 220/110                                                                                                                                                                 | 220                                                                          | 110                                                                                   | 19 | 43 | 235                                                                                                                                                                                                                 | 125 | 27 | 79   |  |  |
|    | Fixable to wall                                                                        | Loop + 240/120                                                                                                                                                                 | 240                                                                          | 120                                                                                   | 19 | 46 | 255                                                                                                                                                                                                                 | 135 | 27 | 87   |  |  |
|   | Table lamp                                                                             |                                                                                                                                                                                |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
|  | E14 Light bulb                                                                         |                                                                                                                                                                                |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
|  | G9 Halogen                                                                             |                                                                                                                                                                                |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
|  | G4 Halogen                                                                             |                                                                                                                                                                                |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
|  | LED                                                                                    |                                                                                                                                                                                |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
|  | Only basic insulation, accesible conductors are earthed. Earthing: compulsory.         |                                                                                                                                                                                |                                                                              |                                                                                       |    |    |                                                                                                                                                                                                                     |     |    |      |  |  |
|  | Lights are fixable to fiery surface directly                                           |                                                                                           |                                                                              |  |    |    | IF NOT MARKED OTHERWISE:<br>safety classification IP20 for all fittings<br>units in cm, kg,<br>all products supplied with voltage 110V upon request<br>illustrations and descriptions for informative purposes only |     |    |      |  |  |