




manooi O E N O



manooi

Oeno



manooi

Oeno



manooi

Oeno



manooi

Oeno



manooi

Oeno




manooi

Oeno



manooi

Oeno



Apostol u. 13/B. H-1023 Budapest, Hungary


phone: +36 1 33 626 90



fax: +36 1 33 626 99

info@manooi.com


www.facebook.com/Manooi

www.manooi.com

L	Length		COLLECTION: Crystalight									
W	Width		Type: suspended chandelier									
H	Height		Structure: polished stainless steel									
Ø	Diameter		Trimmings: full-cut crystal octagons and pendants in various sizes and forms									
	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains		Pinnings: nickel plated rings									
	110 V	MODEL	DIMENSIONS cm				PACKAGE cm					
	230 V		L	W	H	kg	L	W	H			
	Product conforms to European Community Directive		OENO  									
	Product conforms to GOST R		Oeno	80/80	80	80	18	17	95	95	27	33
	Fixable to ceiling		Oeno	100/100	100	100	18	21	115	115	27	41
	Fixable to wall	Oeno	120/120	120	120	18	27	145	145	27	58	
	Table lamp	Oeno	140/140	140	140	18	32	155	155	27	62	
	E14 Light bulb	Oeno	160/160	160	160	18	37	175	175	27	72	
	G9 Halogen											
	G4 Halogen											
	LED											
	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.											
	Lights are fixable to fiery surface directly											
			       		 		IF NOT MARKED OTHERWISE: safety classification IP20 for all fittings units in cm, kg, all products supplied with voltage 110V upon request illustrations and descriptions for informative purposes only					

L	Length		COLLECTION: Crystalight								
W	Width		Type: suspended chandelier								
H	Height		Structure: polished stainless steel								
Ø	Diameter		Trimmings: full-cut crystal octagons and pendants in various sizes and forms								
	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains		Pinnings: nickel plated rings								
	110 V	MODEL	DIMENSIONS cm				PACKAGE cm			Σ kg	
	230 V		L	W	H	kg	L	W	H		
	Product conforms to European Community Directive	OENO									
	Product conforms to GOST R		Oeno	160/80	160	80	18	27	175	95	27
	Fixable to ceiling	Oeno	180/110	180	110	18	34	195	125	27	65
	Fixable to wall	Oeno	220/110	220	110	18	39	235	125	27	74
	Table lamp	Oeno	300/110	300	110	18	45	165	125	27	55 2 pcs
	E14 Light bulb	Oeno	400/110	400	110	18	49	215	125	27	61 2 pcs
	G9 Halogen										
	G4 Halogen										
	LED										
	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.	       						 IF NOT MARKED OTHERWISE: safety classification IP20 for all fittings units in cm, kg, all products supplied with voltage 110V upon request illustrations and descriptions for informative purposes only			
	Lights are fixable to fiery surface directly										

L	Length		COLLECTION: Crystalight								
W	Width		Type: suspended chandelier								
H	Height		Structure: polished stainless steel								
Ø	Diameter		Trimmings: full-cut crystal octagons and pendants in various sizes and forms								
	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains		Pinnings: nickel plated rings								
	110 V	MODEL	DIMENSIONS cm				PACKAGE cm				
	230 V		L	W	H	kg	L	W	H		Σ kg
	Product conforms to European Community Directive		OENO + 								
	Product conforms to GOST R		Oeno + 80/80	80	80	22	21	95	95	27	37
	Fixable to ceiling		Oeno + 100/100	100	100	22	25	115	115	27	45
	Fixable to wall	Oeno + 120/120	120	120	22	31	145	145	27	56	
	Table lamp	Oeno + 140/140	140	140	22	37	155	155	27	67	
	E14 Light bulb	Oeno + 160/160	160	160	22	42	175	175	27	77	
	G9 Halogen										
	G4 Halogen										
	LED										
	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.										
	Lights are fixable to fiery surface directly										

       	 	IF NOT MARKED OTHERWISE: safety classification IP20 for all fittings units in cm, kg, all products supplied with voltage 110V upon request illustrations and descriptions for informative purposes only
---	---	---

L	Length		COLLECTION: Crystalight								
W	Width		Type: suspended chandelier								
H	Height		Structure: polished stainless steel								
Ø	Diameter		Trimmings: full-cut crystal octagons and pendants in various sizes and forms								
	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains		Pinnings: nickel plated rings								
	110 V	MODEL	DIMENSIONS cm				PACKAGE cm				
	230 V		L	W	H	kg	L	W	H	Σ kg	
	Product conforms to European Community Directive		OENO +  								
	Product conforms to GOST R		Oeno + 160/80	160	80	22	31	175	95	27	54
	Fixable to ceiling		Oeno + 180/110	180	110	22	38	195	125	27	69
	Fixable to wall	Oeno + 220/110	220	220	22	43	235	125	27	78	
	Table lamp	Oeno + 300/110	300	220	22	50	165	125	27	57 2 pcs	
	E14 Light bulb	Oeno + 400/110	400	110	22	54	215	125	27	63 2 pcs	
	G9 Halogen										
	G4 Halogen										
	LED										
	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.	       		 			IF NOT MARKED OTHERWISE: safety classification IP20 for all fittings units in cm, kg, all products supplied with voltage 110V upon request illustrations and descriptions for informative purposes only				
	Lights are fixable to fiery surface directly										