



manooi RIO



manooi

Rio



manooi

Rio



manooi

Rio



manooi

Rio



manooi

Rio



manooi

Rio




manooi

Rio



manooi

Rio



Apostol u. 13/B. H-1023 Budapest, Hungary


phone: +36 1 33 626 90

fax: +36 1 33 626 99

info@manooi.com

www.facebook.com/Manooi

www.manooi.com

L	Length		COLLECTION: Crystalight										
W	Width		Type: suspended chandelier										
H	Height		Structure: polished stainless steel										
Ø	Diameter		Trimmings: full-cut crystal octagons and pendants in various sizes and forms										
	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains		Pinnings: nickel plated rings										
	110 V	MODEL	DIMENSIONS cm				PACKAGE cm						
	230 V		L	W	H	kg	L	W	H		Σ kg		
	Product conforms to European Community Directive		RIO										
	Product conforms to GOST R												
	Fixable to ceiling												
	Fixable to wall	Rio	100	100	100	17	18	115	115	27	38		
	Table lamp	Rio	120	120	120	18	22	135	135	27	46		
	E14 Light bulb	Rio	140	140	140	19	29	155	155	27	59		
	G9 Halogen	Rio	160	160	160	19	35	175	175	27	71		
	G4 Halogen	Rio	180	180	180	19	42	195	195	27	84		
	LED												
	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.	       										IF NOT MARKED OTHERWISE: safety classification IP20 for all fittings units in cm, kg, all products supplied with voltage 110V upon request illustrations and descriptions for informative purposes only	
	Lights are fixable to fiery surface directly												

L	Length		COLLECTION: Crystalight							
W	Width		Type: suspended chandelier							
H	Height		Structure: polished stainless steel							
Ø	Diameter		Trimmings: full-cut crystal octagons and pendants in various sizes and forms							
	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains		Pinnings: nickel plated rings							
	110 V	MODEL	DIMENSIONS cm				PACKAGE cm			
	230 V		L	W	H	kg	L	W	H	Σ kg
	Product conforms to European Community Directive		RIO + 							
	Product conforms to GOST R									
	Fixable to ceiling									
	Fixable to wall	Rio + 100	100	100	21	22	115	115	27	42
	Table lamp	Rio + 120	120	120	22	27	135	135	27	51
	E14 Light bulb	Rio + 140	140	140	23	35	155	155	27	65
	G9 Halogen	Rio + 160	160	160	23	42	175	175	27	78
	G4 Halogen	Rio + 180	180	180	23	50	195	195	27	92
	LED									
	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.					IF NOT MARKED OTHERWISE: safety classification IP20 for all fittings units in cm, kg, all products supplied with voltage 110V upon request illustrations and descriptions for informative purposes only				
	Lights are fixable to fiery surface directly									